

Notice of Allowability	Application No.	Applicant(s)	
	10/731,136	BORDYNUIK, JOHN WILLIAM	
	Examiner	Art Unit	
	Constantine Hannaher	2884	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>submissions of 05 April 2006</u> .			
2. The allowed claim(s) is/are <u>1-14 and 16-20</u> .			
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the: <ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No.</li> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* Certified copies not received:</li> </ul>			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
<ul> <li>5.  CORRECTED DRAWINGS (as "replacement sheets") must be submitted.</li> <li>(a)  including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached</li> <li>1)  hereto or 2)  to Paper No./Mail Date</li> <li>(b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> </ul>			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)	_		
1. Notice of References Cited (PTO-892)		atent Application (PTO-152)	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Date	e	
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date</li> </ol>	8), 7. ⊠ Examiner's Amendn	nent/Comment	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🗌 Examiner's Stateme	8. Examiner's Statement of Reasons for Allowance	
	9.		

Application/Control Number: 10/731,136

Art Unit: 2884

ATTACHMENT(S)

Comment on Submission(s)

1. The amendment filed April 5, 2006 has been entered.

2. The drawings were received on April 5, 2006. These drawings are acceptable.

3. Applicant's arguments, see pages 8 and 9, filed April 5, 2006, with respect to claims 1-14 and

Page:

16-20 have been fully considered and are persuasive. The objection to and rejection of these claims

has been withdrawn.

**Examiner's Amendment** 

4. An examiner's amendment to the record appears below. Should the changes and/or

additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312.

To ensure consideration of such an amendment, it MUST be submitted no later than the payment of

the issue fee.

5. The application has been amended as follows:

--Claim 20. (Currently amended) A hand-held device for detecting dirty bombs and lost

radioactive isotopes comprising:

a housing having a wall made of a predominantly epoxy composite material binder capable

of withstanding temperatures from -50 to +70 degrees Celsius and sufficiently thick to withstand

vibrations and optically opaque;

the radiation detector of claim 9 disposed in said housing;

an A/D converter disposed in said housing and coupled to the radiation detector;

a processor disposed in said housing and interfaced to the A/D converter for filtering

ambient noise from detected radioactivity and control alarm indicator states;

a light, buzzer, or vibrating mechanism disposed in said housing and interfaced to the processor for alerting the holder to detected radiation;

a switch disposed in said housing and interfaced to the processor for control and diagnostic purposes; and

a battery disposed in said housing to power all components inside the housing.--

This amendment is necessary in view of the oversight in identifying the parent claim (see remarks filed April 5, 2006, page 9).

Authorization for this examiner's amendment was given in a telephone interview with Christopher W. Brody (Reg. No. 33,613) on May 15, 2006.

## Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Constantine Hannaher whose telephone number is (571) 272-2437. The examiner can normally be reached on Monday-Friday with flexible hours.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David P. Porta can be reached on (571) 272-2444. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov/. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

onstantine Hannah Primary Examiner

ch